



CHAPTER 113A
ARTICLE 7 - COASTAL AREA MANAGEMENT

N.C.G.S. § 113A-115.1.

Limitations on erosion control structures.

SOURCE General Statutes of North Carolina, as published by the General Assembly	LAST AMENDMENT IN THIS TEXT No amendment history on record	RETRIEVED 21 September 2026, 03:48 UTC	SOURCE FINGERPRINT 64110d0f7691246145b5526f - f5136373b27e9ca9f5830703 - 167eae37a9f73ca2
--	---	---	--

- § 113A-115.1(a)

As used in this section:

(1)

"Erosion control structure" means a breakwater, bulkhead, groin, jetty, revetment, seawall, or any similar structure.

(1a)

"Estuarine shoreline" means all shorelines that are not ocean shorelines that border estuarine waters as defined in G.S. 113A-113(b)(2).

(2)

"Ocean shoreline" means the Atlantic Ocean, the oceanfront beaches, and frontal dunes. The term "ocean shoreline" includes an ocean inlet and lands adjacent to an ocean inlet but does not include that portion of any inlet and lands adjacent to the inlet that exhibits characteristics of estuarine shorelines.

(3)

"Terminal groin" means one or more structures constructed at the terminus of an island or on the side of an inlet, or where the ocean shoreline converges with Frying Pan Shoals, with a main stem generally perpendicular to the beach shoreline, that is primarily intended to protect the terminus of the island from shoreline erosion or inlet migration. A "terminal groin" shall be pre-filled with beach quality sand and allow sand moving in the littoral zone to flow around, over, or through the structure. A "terminal groin" may include other design features, such as a number of smaller supporting structures, that are consistent with sound engineering practices and as recommended by a professional engineer licensed to practice pursuant to Chapter 89C of the General Statutes. A "terminal groin" is not a jetty.

§ 113A-115.1(b)

No person shall construct a permanent erosion control structure in an ocean shoreline. The Commission shall not permit the construction of a temporary erosion control

structure that consists of anything other than sandbags in an ocean shoreline. This subsection shall not apply to any of the following:

- (1) Any permanent erosion control structure that is approved pursuant to an exception set out in a rule adopted by the Commission prior to July 1, 2003.
- (2) Any permanent erosion control structure that was originally constructed prior to July 1, 1974, and that has since been in continuous use to protect an inlet that is maintained for navigation.
- (3) Any terminal groin permitted pursuant to this section.

§ 113A-115.1(b1)

This section shall not be construed to limit the authority of the Commission to adopt rules to designate or protect areas of environmental concern, to govern the use of sandbags, or to govern the use of erosion control structures in estuarine shorelines.

§ 113A-115.1(c)

The Commission may renew a permit for a permanent erosion control structure originally permitted pursuant to a variance granted by the Commission prior to July 1, 1995, if the Commission finds that: (i) the structure will not be enlarged beyond the dimensions set out in the original permit; (ii) there is no practical alternative to replacing the structure that will provide the same or similar benefits; and (iii) the replacement structure will comply with all applicable laws and with all rules, other than the rule or rules with respect to which the Commission granted the variance, that are in effect at the time the structure is replaced, except as otherwise provided in this subsection. If a permanent erosion control structure originally permitted pursuant to a variance granted by the Commission prior to July 1, 1995, consists of a field of geotextile sand tubes, the field of geotextile sand tubes may be replaced with rock erosion control structures subject to the following criteria:

- (1) The number of rock erosion control structures shall be equal to or less than the number of geotextile sand tubes originally permitted.
- (2) The structure(s) or field of structures may consist of groins, including T-head or lollipop groins, or breakwaters to be approved by the Division of Coastal Management, in its discretion, or by variance from the Coastal Resources Commission.
- (3) The structure field shall not be enlarged beyond the alongshore dimensions authorized under the original permit, and the aggregate overall length of the rock structures shall not exceed the aggregate overall length of the geotextile sand tubes authorized under the original permit.

- (4) The plans for the work shall be sealed by a professional engineer licensed to practice pursuant to Chapter 89C of the General Statutes with experience in engineering in the coastal area.

The Commission shall permit replacement of the geotextile sand tubes with rock erosion control structures meeting the criteria of subdivisions (1) through (4) of this subsection as replacement of the permanent erosion control structure originally permitted. Such a permanent erosion control structure is not a terminal groin and shall not be subject to the provisions of this section applicable to terminal groins.

§ 113A-115.1(c1) The Commission may authorize the repair or replacement of a temporary erosion control structure that was originally permitted prior to July 1, 1995, if the Commission finds that (i) the structure is located adjacent to an intertidal marine rock outcropping designated by the State as a Natural Heritage Area pursuant to Part 42 of Article 2 of Chapter 143B of the General Statutes and (ii) the replacement structure will comply with all applicable laws and with all rules, other than the rule or rules with respect to which the Commission granted the variance, that are in effect at the time the structure is replaced.

§ 113A-115.1(d) Any rule that prohibits permanent erosion control structures shall not apply to terminal groins permitted pursuant to this section.

§ 113A-115.1(e) In addition to the requirements of Part 4 of Article 7 of Chapter 113A of the General Statutes, an applicant for a permit for the construction of a terminal groin shall submit all of the following to the Commission:

- (1) Information to demonstrate that structures or infrastructure are threatened by erosion.
- (2) An environmental impact statement that satisfies the requirements of G.S. 113A-4. An environmental impact statement prepared pursuant to the National Environmental Policy Act (NEPA), 42 U.S.C. §4321, et seq., for the construction of the terminal groin shall satisfy the requirements of this subdivision.
- (3) A list of property owners and local governments that may be affected by the construction of the proposed terminal groin and its accompanying beach fill project and proof that the property owners and local governments have been notified of the application for construction of the terminal groin and its accompanying beach fill project.

- (4) A plan for the construction and maintenance of the terminal groin and its accompanying beach fill project prepared by a professional engineer licensed to practice pursuant to Chapter 89C of the General Statutes.
- (5) A plan for the management of the inlet and the estuarine and ocean shorelines immediately adjacent to and under the influence of the inlet. The inlet management plan monitoring and mitigation requirements must be reasonable and not impose requirements whose costs outweigh the benefits. The inlet management plan is not required to address sea level rise. The inlet management plan shall do all of the following relative to the terminal groin and its accompanying beach fill project:
 - a. Describe the post-construction activities that the applicant will undertake to monitor the impacts on coastal resources.
 - b. Define the baseline for assessing any adverse impacts and the thresholds for when the adverse impacts must be mitigated.
 - c. Provide for mitigation measures to be implemented if adverse impacts reach the thresholds defined in the plan.
 - d. Provide for modification or removal of the terminal groin if the adverse impacts cannot be mitigated.
- (6) Proof of financial assurance verified by the Commission or the Secretary of Environmental Quality in the form of a bond, insurance policy, escrow account, guaranty, local government taxing or assessment authority, a property owner association's approved assessment, or other financial instrument or combination of financial instruments that is adequate to cover the cost of implementing all of the following components of the inlet management plan:
 - a. Long-term maintenance and monitoring of the terminal groin.
 - b. Implementation of mitigation measures.
 - c. Modification or removal of the terminal groin.
 - d. Repealed by Session Laws 2013-384, s. 3(a), effective August 23, 2013, and applicable to permit applications submitted on or after that date.

§ 113A-115.1(f)

The Commission shall issue a permit for the construction of a terminal groin if the Commission finds no grounds for denying the permit under G.S. 113A-120 and the Commission finds all of the following:

- (1) The applicant has complied with all of the requirements of subsection (e) of this section.
- (2) Repealed by Session Laws 2013-384, s. 3(a), effective August 23, 2013, and applicable to permit applications submitted on or after that date.
- (3) The terminal groin will be accompanied by a concurrent beach fill project to prefill the groin.
- (4) Construction and maintenance of the terminal groin will not result in significant adverse impacts to private property or to the public recreational beach. In making this finding, the Commission shall take into account the potential benefits of the project, including protection of the terminus of the island from shoreline erosion and inlet migration, beaches, protective dunes, wildlife habitats, roads, homes, and infrastructure, and mitigation measures, including the accompanying beach fill project, that will be incorporated into the project design and construction and the inlet management plan.
- (5) The inlet management plan is adequate for purposes of monitoring the impacts of the proposed terminal groin and mitigating any adverse impacts identified as a result of the monitoring.
- (6) Except to the extent expressly modified by this section, the project complies with State guidelines for coastal development adopted by the Commission pursuant to G.S. 113A-107.

§ 113A-115.1(f1)

The Commission shall, for the purpose of a dune building and beach planting project, authorize local governments that have received a permit to construct a terminal groin pursuant to this section to establish a measurement line that represents the location of the first line of stable and natural vegetation that is covered by the dune building and beach planting project. The measurement line shall be (i) established in coordination with the Division of Coastal Management using on-ground observation and survey or aerial imagery for all areas of oceanfront that undergo dune building and beach planting projects and (ii) applicable for a period of no less than two years from the completion of the dune building and beach planting project.

§ 113A-115.1(g)

The Commission may issue no more than seven permits for the construction of a terminal groin pursuant to this section, provided that two of the seven permits may be issued only for the construction of terminal groins on the sides of New River Inlet in Onslow County and Bogue Inlet between Carteret and Onslow Counties.

§ 113A-115.1(h) A local government may not use funds generated from any of the following financing mechanisms for any activity related to the terminal groin or its accompanying beach fill project:

- (1) Special obligation bonds issued pursuant to Article 7A of Chapter 159 of the General Statutes.
- (2) Nonvoted general obligation bonds issued pursuant to G.S. 159-48(b)(4).
- (3) Financing contracts entered into under G.S. 160A-20 or G.S. 159-148.

§ 113A-115.1(i) No later than January 1, 2019, and every five years thereafter, the Coastal Resources Commission shall report to the Environmental Review Commission on the implementation of this section. The report shall provide a detailed description of each proposed and permitted terminal groin and its accompanying beach fill project, including the information required to be submitted pursuant to subsection (e) of this section. For each permitted terminal groin and its accompanying beach fill project, the report shall also provide all of the following:

- (1) The findings of the Commission required pursuant to subsection (f) of this section.
- (2) The status of construction and maintenance of the terminal groin and its accompanying beach fill project, including the status of the implementation of the plan for construction and maintenance and the inlet management plan.
- (3) A description and assessment of the benefits of the terminal groin and its accompanying beach fill project, if any.
- (4) A description and assessment of the adverse impacts of the terminal groin and its accompanying beach fill project, if any, including a description and assessment of any mitigation measures implemented to address adverse impacts. (2003-427, s. 3; 2004-195, s. 1.2; 2004-203, s. 43; 2011-387, s. 1; 2012-201, s. 2(a); 2013-384, s. 3(a); 2015-241, ss. 14.6(r), 14.30(v); 2017-10, s. 4.19; 2018-114, s. 15; 2020-3, s. 4.30(b); 2024-45, s. 16.1A(a); 2024-53, s. 4C.12(b); 2024-57, s. 2C.4(b).)

END OF SECTION TEXT

APPARATUS FOLLOWS — DERIVED, NOT ENACTED

APPARATUS II
7 AUTHORITIES

Authorities referenced

Every G.S. cross-reference appearing in the text of this section, in order of first appearance. Nothing is characterized; the operative language is quoted from the section itself.

REFERENCE	APPEARS IN	OPERATIVE LANGUAGE IN THIS SECTION
G.S. 113A-113(b)(2)	(a)(1a)	"border estuarine waters as defined in"
G.S. 113A-4	(e)(2)	"statement that satisfies the requirements of"
G.S. 113A-120	(f)	"grounds for denying the permit under"
G.S. 113A-107	(f)(6)	"adopted by the Commission pursuant to"
G.S. 159-48(b)(4)	(h)(2)	"general obligation bonds issued pursuant to"
G.S. 160A-20	(h)(3)	"Financing contracts entered into under"
G.S. 159-148	(h)(3)	"entered into under G.S. 160A-20 or"

APPARATUS III

Citation

FULL SECTION

N.C. Gen. Stat. § 113A-115.1 (2026).

PINPOINT

N.C. Gen. Stat. § 113A-115.1(a) (2026).

Pinpoint keys are set in the left margin of the text rather than line numbers: subsection designators are stable across editions and paper sizes, line numbers are not.

COLOPHON

Provenance

This document reproduces the text of one section of the General Statutes of North Carolina from a source file whose SHA-256 digest is printed on every page. The digest fixes the bytes this export was made from; if the State's file changes, the digest will not match.

The text of the section is unaltered. Subsection designators have been moved from the run of text into the margin. The amendment history and the table of authorities are derived from the section by mechanical extraction — they add no characterization of the law.

This is not the official text. The official text is published by the General Assembly of North Carolina.

